

FEDERAL BUREAU OF INVESTIGATION  
U. S. DEPARTMENT OF JUSTICE  
COMMUNICATIONS SECTION

MAR 6 1969  
TELETYPE

REC 98

- Mr. Mohr
- Mr. Bishop
- Mr. Casper
- Mr. Callahan
- Mr. Conrad
- Mr. Felt
- Mr. Gale
- Mr. Rosen
- Mr. Sullivan
- Mr. Tavel
- Mr. Trotter
- Tele. Room
- Miss Holmes
- Miss Gandy

FBI WASH DC

FBI NEW ORLS

3-32 PM 3-5-69 URGENT DAO  
TO DIRECTOR 62-109060 AND DALLAS 89-43  
FROM NEW ORLEANS 89-69 2P

*Bray*

*Abel*

ASSASSINATION OF PRESIDENT JOHN FITZGERALD KENNEDY,  
DALLAS, TEXAS, NOVEMBER TWENTYTWO, NINETEEN SIXTYTHREE.  
MISC. - INFO CONCERNING. .00-DALLAS.

THERE APPEARED IN THE MARCH SIX INSTANT ISSUE OF THE  
NEW ORLEANS TIMES-PICAYUNE NEWSPAPER AN ARTICLE REPORTING  
THAT ANOTHER CHARGE OF PERJURY WAS FILED LATE ON THE  
AFTERNOON OF MARCH FIVE LAST BY THE DISTRICT ATTORNEY'S  
OFFICE, NEW ORLEANS, AGAINST DEAN A. ANDREWS.

K

THIS ARTICLE REVEALED THAT THE CHARGE WAS CONTAINED IN  
A BILL OF INFORMATION FILED WITH THE CRIMINAL DISTRICT  
COURT CLERK AND CHARGED THAT ANDREWS' TESTIMONY DURING  
THE RECENT TRIAL OF CLAY L. SHAW WAS "MATERIALLY CONTRADICTORY  
OF AND INCONSISTENT WITH" PRIOR SWORN TESTIMONY BY ANDREWS  
BEFORE THE ORLEANS PARISH GRAND JURY ON MARCH SIXTEEN, MAR 10 1969  
SIXTYSEVEN.

REC 98 62-109060-6806

THIS ARTICLE REPORTED THAT ANDREWS IS ALREADY APPEALING  
ONE PERJURY CONVICTION AND AWAITING TRIAL ON ANOTHER PERJURY

*5-770*

END PAGE 50 MAR 13 1969

PAGE 2

CHARGE.

THIS ARTICLE ALSO REPORTED THAT JUDGE HAGGERTY WHO PRESIDED AT THE TRIAL OF CLAY L. SHAW INDICATED THAT HE WOULD DECIDE ON MARCH TEN NEXT WHETHER TO CITE FOR CONTEMPT ANY OF THE PRINCIPALS IN THE TRIAL. THIS ARTICLE NOTED THAT DURING THE LENGTHY PERIOD PRECEDING THE TRIAL JUDGE HAGGERTY WARNED THAT ANYONE VIOLATING HIS GUIDELINES REGARDING PUBLIC STATEMENTS ABOUT THE CASE FACED CONTEMPT OF COURT CITATIONS.

THE ARTICLE ALSO REPORTED THAT CLAY L. SHAW WOULD BE ARRAIGNED ON THE NEW CHARGE OF PERJURY AGAINST HIM ON MARCH TWENTY NEXT.

NO LHM BEING SUBMITTED.

END

VA..

PGH

FBI WASH DC

X