

NOTES with JFK Wounds. **Key Stuff**

\* Bubbling of air from throat hole in neck means the lung was punctured as was said by Parkland Drs. Bullet entered neck and went down into the lung.

In the JFK Back ~~was~~ wound's wound of exit. (Note FBI O'Neil & Sibert report turning over a bullet (not a frag) as just a possibility.

Check official autopsy reports for eccymosis on apex of lung -

eccymosis - caused by bullet + Shock waves

All that is necessary compared with Bul HB report on JFK's collar & tie - only Citronica present from Sargent - no exp copper Antimony, etc

Note:

If JFK Neck wound cut a wound & wound of exit as we witness, then the Shock waves produced by a missile could have caused severe eccymosis - his side of neck could have been swollen

note - JFK wound

Burkley was able to identify  
JFK's Back wound as Shot 3rd  
Thoracic Vertebrae by X-ray.  
Did X-ray show a break in the  
rib?

---

Development

open with this 1st — Carley  
Evidence. Feature this 1st under Carley  
Evidence — After paraffin testing, which is a  
lock

Be sure  
to check the  
official  
autopsy  
report

then witness testimony that a shot or  
shot came from the front of residence  
was greater credibility

---

note If JFK was hit by shot in the back  
there should have been some recognition  
of the neck, right side of the neck Eccobino's  
Sullivan

Note - JFK Wounds

p. 3

Consider: How Best to integrate JFK  
Wounds, Leathers who testified to a  
Shot or shots from the front of motorcade,  
and the "discovery" of the Magic  
Bullet (CE # 399) - actually  
I will develop this as the "planting"  
of the bullet

Segue into Oswald's movements