Valker

N.Y. Post 2-19-64

Bullet Marks Match, Say Dallas Cops

Dallas police reported today that ballistic tests of the mail-order rifle believed to have killed President Kennedy indicate it was the same weapon used in an attempt on the life of former Maj. Gen. Edwin A. Walker.

Mrs. Marina Oswald, widow of Lee Harvey Oswald, the alleged assassin of the President, rold the Warren Commission two

Mrs. Oswald at Town Hall —See Page 33.

weeks ago that Oswald had admitted to her that he fired the shot at Wałker last April.

The Dallas ballistics report tended to support Mrs. Oswald's story.

A Contradiction

But it apparently contradicted carlier ballistics conclusions. At the time of the Walker shooting Dallas police identified the sniper's weapon as a 3006 caliber rifle.

President Kennedy was killed by a 6.5 mm. Italian Army surplus carbine traced to Oswald, investigators have determined. FBI ballistics tests also pointed out the discrepancy between the

Iwo weapons, it was reported.

The latest bullistics data were disclosed by Dallas Police Chief Jesse Curry and Chief of Datest Ives M. W. Stevenson.

Cannot Be Final'

"The ballistics report cannot be final or conclusive," Stevenson said, "but generally the comparison points of the sligs were good."

Walker, who was relieved of his command in Europe after he was accused of mixing right-wing politics with his Army duties, was near a window in his home working alone on his income tax return when the sulper fired.

The slug tore through a window casing nairowit missing him, pierced a 9-inch wall and sell on a stack of nackaged pambilets in the adjoining room.

Oswald's widow said ine alleged Presidential assassin had written her a letter before leaving home on the night of the Walker attack. She said he told har of the location of the rity jail, in case something should happen to him, and also instructed her now to contact the Russian embassy if he should be arrested.

