

XXXXXXXXXXXXXXXXXXXX
WA6-2034

30734

10/22/66

Dear Mr. Goldberg,

Enclosed with your letter of September 13, 1966 were not the five 8x10s for which you have billed me but one.

I had waited so long I went to a lab with the full enlargement you had earlier sent me and had the work I wanted done there. It is possible, however, that with the original negative that you had to work with down in Dallas (it is J.W. Altgens's picture) what you have done is clearer.

Since you have already done the work, possibly you would care to send it to me. If it is better than what I have had made, I'll buy it.


This is quite possible for the lab to which I went said the enlargement not the negative that you earlier sent me is out of focus. I specifically asked if it was the negative.

Incidentally, have you any explanation for the white slash across the left shoulder of the man in the doorway? Is it a damage to the negative? Has this negative been touched up in any way?

Sincerely,

Harold Weisberg

WIDE WORLD



PHOTOS, INC.

50 ROCKEFELLER PLAZA N. Y., 10020 (212) PLAZA 7-1111

September 13, 1966

Mr. Harold Weisberg
Hyattstown, Maryland 20734

Dear Mr. Weisberg:

Enclosed you will find a blowup of the portion of the Kennedy picture you want. Please note that the original negative was a 35mm, and that when any negative is blown up, especially many times the original size, it naturally becomes grainy.

We have made special prints on every size you requested. For this additional work, we are charging you \$5.00 per print.

We hope the enclosed print is satisfactory.

Sincerely,

Meyer Goldberg
Meyer Goldberg

MG:em
Enc.

MEYER GOLDBERG
GENERAL SALES MANAGER